



Product Description

Plusline Small

Mains-voltage linear lamp giving white halogen light

Benefits

- Bright halogen light
- Long lifetime

Features

- Clear tubular quartz bulb
- Reinforced filament supports for maximum safety and shock resistance resulting in longer lifetime
- Two arc-preventing fuses for greater safety
- Excellent colour rendering
- Constant light output during life

Application

- Typically used in shop lighting applications
- Indoor: homes, offices, shops and museums
- Outdoor: billboards, car parks, security lighting and construction sites

Plusline Small

Versions



R7s

Dimensional drawing



Product	D (max)	B (max)	B	B (min)	C (max)
Plusline S 200W R7s 240V 1BC/10	12 mm	115.8 mm	114.2 mm	112.6 mm	117.6 mm
Plusline S 500W R7s 240V 1BC/12	12 mm	115.8 mm	114.2 mm	112.6 mm	117.6 mm
Plusline S 300W R7s 240V 1BC/10	12 mm	115.8 mm	114.2 mm	112.6 mm	117.6 mm

Controls and Dimming

Dimmable Yes

Operating and Electrical

Voltage (Nom) 240 V
Starting Time (Nom) 0.0 s

General Information

Cap-Base R7S
Nominal Lifetime (Nom) 2000 h
Operating Position UNIVERSAL
Rated Lifetime (Hours) 2000 h

Luminaire Design Requirements

Bulb Temperature (Max) 900 °C

Light Technical

Colour Rendering Index (Nom) 100

Mechanical and Housing

Bulb Finish Clear
Bulb Shape T3

Operating and Electrical

Order Code	Full Product Name	Lamp Current (Nom)	Power (Rated) (Nom)
924735445597	Plusline S 300W R7s 240V 1BC/10	1.25 A	300 W
924735545501	Plusline S 500W R7s 240V 1BC/12	2.08 A	500 W
924735745597	Plusline S 200W R7s 240V 1BC/10	0.83 A	200 W

Light Technical

Plusline Small

Order Code	Full Product Name	Correlated		
		Colour Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux (Nom)
924735445597	Plusline S 300W R7s 240V 1BC/10	-	17 lm/W	5114 lm
924735545501	Plusline S 500W R7s 240V 1BC/12	2900 K	19.3 lm/W	9660 lm

Order Code	Full Product Name	Correlated		
		Colour Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux (Nom)
924735745597	Plusline S 200W R7s 240V 1BC/10	2900 K	15 lm/W	3000 lm

