



GreenPerform Highbay Rectangular

BY570P LED250/850 PSU WB CAU

Transparent dome

The GreenPerform Highbay Rectangular continues the GreenPerform family's enviable reputation for reliable performance. Not only does it deliver Unified Glare Rating (UGR) control with its optimised optical design, it also promises leading system efficiency, compact dimensions and extended long-term quality. Optimized for almost all industrial applications, it is also fully compatible with IoT software such as the Interact scalable system.

Product data

General Information		Controls and Dimming	
Lamp colour code	850 neutral white	Dimmable	No
Optical cover/lens type	TSDM [Transparent dome]	Mechanical and Housing	
Control interface	-	Housing material	Aluminum die-cast
Protection class IEC	Safety class I (I)	Optical cover/lens material	Polycarbonate
CE mark	-	Optical cover/lens finish	Clear
Number of products on MCB (16 A type B)	6	Overall length	32 mm
Light source engine type	LED	Overall width	13 mm
Operating and Electrical		Overall height	32.8 mm
Input Voltage	220 to 240 V	Colour	Grey
Input frequency	50 or 60 Hz	Approval and Application	
Power factor (min.)	0.95	Ingress protection code	IP65 [Dust penetration-protected, jet-proof]
		Mech. impact protection code	IK06 [1 J]

GreenPerform Highbay Rectangular

Initial Performance (IEC Compliant)

Initial luminous flux (system flux)	25000 lm
Luminous flux tolerance	+/-10%
Initial LED luminaire efficacy	140 lm/W
Lamp colour temperature	5000 K
Colour Rendering Index	>80
Initial input power	182 W
Power consumption tolerance	+/-10%

Application Conditions


Ambient temperature range	-30 to +50 °C
---------------------------	---------------

Product Data

Full product code	911401596961
Order product name	BY570P LED250/850 PSU WB CAU
Order code	911401596961
Local order code	BY570P2550PWB
SAP numerator – quantity per pack	1
Numerator – packs per outer box	2
SAP material	911401596961
SAP net weight (piece)	4.799 kg



Dimensional drawing



BY570P LED250/850 PSU WB CAU

